

NORTHERN PACIFIC RAILWAY COMPANY.

DULUTH AND SUPERIOR TERMINALS

TIME **138** TABLE

In Effect at 12:01 A. M. Central or 90th Meridian Time.

SUNDAY, JANUARY 1, 1928.

For the Government of Employees only. The Company reserves the right to vary therefrom at pleasure. Be positive that you have the Current Time Table and destroy all previous numbers. Read carefully the Special Instructions and always have for reference a copy of TRANSPORTATION RULES.

T. H. LANTRY,
General Manager.

W. H. STRACHAN,
General Superintendent.

O. F. OHLSON,
Superintendent.

P. H. MCCAULEY,
General Superintendent of Transportation.

WESTWARD

FIRST SUB-DIVISION (DULUTH AND SUPERIOR TERMINAL)

TIME TABLE No. 138, January 1, 1928. Succeeding No. 137. Table with columns for First Class (401-203), Stations, Second Class (625-627), and Third Class (717). Includes arrival and departure times, distances, and average speeds.

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION. DOUBLE TRACK BETWEEN DULUTH AND WEST DULUTH JUNCTION. AUTOMATIC BLOCK SIGNALS FROM D. M. & N. JCT. TO WEST DULUTH JCT.

SPECIAL INSTRUCTIONS PAGE 7.

REGISTER STATIONS: Duluth Union Depot and West Duluth for first class trains and passenger extras. Rice's Point yard office and West Duluth for second and third class trains and extras.

REGISTER EXCEPTIONS: At West Duluth Nos. 61, 63, 65, 627 and 625 register by ticket Form 608. At West Duluth, Eastward trains register by ticket Form 608 and not require clearance unless train order signal is displayed at caution or stop.

BULLETIN STATIONS: Duluth Union Depot. Rice's Point yard office and Round House.

STANDARD TIME CLOCKS: Duluth Union Depot. Rice's Point yard office.

YARD LIMITS: Duluth yard extends from connection with D. & L. R. Ry., at Fifth Ave. East, to the easterly end of the St. Louis River bridge, and from Garfield Avenue to the yard limit sign on the Third Sub-Division main track west of West Duluth Junction, and to Grassy Point bridge.

BRIDGE RESTRICTIONS:

Duluth to Fond du Lac no restrictions. Great Northern Power Co. track. Speed will be restricted on all bridges for S, S1, S3, S4 and S10 to eight (8) miles per hour. Engine classes T, Q1 and heavier will not be permitted.

DERAIL SWITCHES:

When not in use must be kept set in derailing position. Main track 110 feet west of Fond du Lac Depot.

WHISTLE CALLS:

D. M. & N. Jct. Interlocking Plant. Trains will call for routes as follows: Martin's track to D. M. & N. yard—Three short. Martin's track to westward main track—Three short and one long. Martin's track to D. T. main track—Four short. D. T. main track to Martin's track—Four short. D. M. & N. Jct. to Martin's track—Three short. Westward main track to D. M. & N. Jct.—One long and one short. D. M. & N. Jct. to eastward main track—One long and one short. Through Westward main track movements—One long. Through eastward main track movements—One long.

SPECIAL INSTRUCTIONS.

(Note Changes.)

1. Second class and inferior trains may run ahead of delayed first class trains between West Duluth Junction and Duluth, Superior and Rice's Point, West Duluth Junction and Superior, Superior and East End, without orders.
2. All inferior to first class trains may run ahead of each other without orders.
3. Clearance Form A will not be required at Rice's Point Yard, Superior Freight Station or Superior Union Depot.
4. Extra trains, work extras and switch engines do not require train orders for movement between West Duluth Junction and Duluth, between Central Avenue and Rice's Point, between Central Avenue and East End, nor between West Duluth Jet. and Superior.
5. A Brakeman or Flagman must be stationed on the rear car of all trains, at all times, and be provided with proper flagging equipment. In case train is stopped on main track, Flagman must go back immediately with stop signals a sufficient distance to insure full protection to his train. Conductors and switch foremen will be held responsible for the strict observance of this rule.
6. To insure personal safety, Telegraphers having train orders or messages to deliver to passing trains, will stand to the right hand side of the train and avoid standing between tracks when possible to do so.
7. All trains must move within yard limits prepared to stop unless the main track is seen or known to be clear.
8. The D. T. main track is the northmost track between the Boston Coal Dock crossing and connection with Grassy Point main track. All switches leading from this track, when not in use, will be left lined for same.

9. All train crews, switch crews and light engines using D. T. main track from connection of Missabe coal dock with this track to east end of Zenith Furnace Company's lead, on Grassy Point line, will move in both directions under full control, expecting to find the D. T. main track occupied.

10. D. T. connection, located at east end of Zenith Furnace Company's lead, Grassy Point line, will be considered a railroad crossing. Trains using this connection will make usual stop and make sure that track is clear before proceeding.

11. Bridge Restrictions.
Speed will be restricted over St. Louis Bridge between Duluth and Superior to twenty (20) miles per hour.

Great Northern Power Co. Track. Speed will be restricted on all bridges for Engines Class S, S1, S3, S4 and S10 to eight (8) miles per hour. Engines Classes T, Q1 and heavier will not be permitted.

AUTHORIZED SURGEONS:—

Dr. C. S. KNOX, 219 Albany Block, Superior, East End,
 Dr. A. L. KYLLO, 5719 Tower Ave., Superior,
 Dr. W. H. SCHNELL, 28 Columbia Bldg., Superior,
 Dr. F. C. SARAZIN, 28 Columbia Bldg., Superior,
 Dr. G. C. MacRAE, 400 Lyceum Bldg., Duluth,
 Dr. C. M. SMITH, 400 Lyceum Bldg., Duluth,
 Dr. O. E. HELMARK, 2004 W. Superior St., Duluth,
 Dr. C. L. HANEY, 2004 W. Superior St., Duluth,
 Dr. GEORGE C. DOYLE, 2004 W. Superior St., Duluth,

Office Telephone	Residence Telephone
East 67R1	East 67R2
Broad 1458R1	Broad 161
Broad 65	Broad 532
Broad 65	Broad 192
Melrose 1089	Hemlock 3954W
Melrose 1089	Hemlock 1955
Melrose 458	Melrose 1157
Melrose 458	Melrose 579
Melrose 458	Calumet 515

LOCATION STRETCHERS:—

East End Freight Station.
 Central Avenue Freight Station.
 Superior Freight Station.
 Rices Point Yard Office, Duluth.
 Dock 6, Duluth.
 Duluth Union Depot.
 Tool Car, Duluth.
 West Duluth Passenger Station.

MAXIMUM CLEARANCES.

	LIMIT OF LOAD MEASUREMENT.																		
	Height Above Top of Rail.																		
	1 ft. Wide	2 ft. Wide	3 ft. Wide	4 ft. Wide	5 ft. Wide	6 ft. Wide	7 ft. Wide	7 ft. 6 in. Wide	8 ft. Wide	8 ft. 6 in. Wide	9 ft. Wide	9 ft. 6 in. Wide	10 ft. Wide	10 ft. 2 in. Wide	10 ft. 6 in. Wide	11 ft. Wide	11 ft. 6 in. Wide	Max. Height	Max. Width
First Sub-division, Duluth to Fond du Lac.....	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	11'-6"
Second Sub-division, Garfield Ave. to Central Ave.....	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	11'-6"
Third Sub-division, West Duluth Jet. to Superior U. D.....	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	11'-6"
Fourth Sub-division, East End to Central Ave.....	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	11'-6"

F. L. BIRDSALL,
Ass't Superintendent.

W. D. PEARCE,
Ass't Superintendent.

H. J. COUNCILMAN,
Trainmaster.

GEORGE STEINER
Chief Dispatcher.

