

NORTHERN PACIFIC RAILWAY COMPANY.

DULUTH AND SUPERIOR TERMINALS

TIME **147** TABLE

In Effect at 12:01 A. M. Central or 90th Meridian Time.

SUNDAY, SEPTEMBER 29, 1929.

For the Government of Employees only. The Company reserves the right to vary therefrom at pleasure. Be positive that you have the Current Time Table and destroy all previous numbers. Read carefully the Special Instructions and always have for reference a copy of TRANSPORTATION RULES.

W. C. SLOAN,
General Manager.

W. H. STRACHAN,
General Superintendent.

G. H. JACOBUS,
Superintendent.

P. H. MCCAULEY,
General Superintendent of Transportation.

WESTWARD

FIRST SUB-DIVISION
(DULUTH AND SUPERIOR TERMINAL)

FIRST CLASS										WATER, FUEL, SCALES, TUNA, TABLES, WYES AND YARD LIMITS.	STATION NUMBERS.	DISTANCE FROM D. & I. R. JCT.	Time Table No. 147 September 29, 1929 Succeeding No. 146.					DISTANCE FROM FOND DU LAC.	CAR CAPACITY OF SIDINGS.	FIRST CLASS					SECOND CLASS			THIRD CLASS				
55	201	401	61	53	305	63	403	51	203				303	57	405	407	65			623	625	627	717									
N. P. 55	D. M. & N. 1	D. & I. R. 50	N. P. 61	N. P. 54	D. W. & P. 5	N. P. 63	D. & I. R. 2	N. P. 52	D. M. & N. 3				D. W. & P. 19	N. P. 57	D. & I. R. 52	D. & I. R. 62	N. P. 65			N. P. 623	C. M. St. P. & P. 625	N. P. 627	N. P. 717									
Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger				Passenger	Passenger	Passenger	Passenger	Passenger			Freight	Freight	Freight	Freight	Way Freight								
Daily	Daily	Daily	Ex. Sun.	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Ex. Sun.													
		L 8.05A					L 2.41P					L 8.45P	L 10.25P																			
L 7.00A	L 8.00A	A 8.10A	L 8.35A	L 9.00A		L 2.00P	A 2.45P	L 2.50P	L 3.50P	WCO TYX	0.0	DU	DULUTH	DN	L 7.00P	A 8.50P	A 10.30P	L 11.30P	L 5.30P	L 8.00P												
A 7.03A	8.03		8.38	A 9.03A	L 9.04A	2.02		A 2.54P	3.53		1.9		GARFIELD AVE.		L 6.37P	A 7.03P		11.33	A 5.33P	8.04												
	8.04		s 8.39		9.05	2.04			3.54	L 2	2.2		20TH AVE.		6.39			f 11.35	L 8.30P	8.05												
	A 8.06A		8.41		9.07	2.07			3.56P	L 02	2.8		D. M. & N. JCT.		6.40			11.37		8.07												
											3.6		SOO LINE CROSSING																			
			8.47		A 9.14A	2.13					4.4		D. W. & P. JCT.		A 6.45P			11.40		8.42												
			s 8.49			s 2.15				L 04	5.1		WU WEST DULUTH	DN				s 11.44		8.46												
			A 8.52A			A 2.18P				WYX	5.8		WEST DULUTH JCT.	P				A 11.50P		A 8.50P												
											7.0		D. T. CROSSING							A 8.20P												
											8.1		RIVERSIDE							s 9.49												
										LB 2	8.5		SPIRIT LAKE							s 9.51												
										LB 3	9.7		MORGAN PARK							s 9.58												
											10.7		Minn. Steel Co. Crossing																			
										LB 5	12.4		BOAT CLUB							s 10.15												
										LB 8	15.1		NEW DULUTH	P						A 10.34A												
Daily	Daily	Daily	Ex. Sun.	Daily	Daily	Daily	Daily	Daily	Daily				FOND DU LAC																			
.03	.06	.05	.17	.03	.10	.18	.04	.04	.06																							
20.0	19.0	10.8	17.2	20.0	15.0	16.3	13.5	15.0	19.0																							
											Time Over Sub-Division											Average Speed Per Hour										
											.08 .03 .05 .05 .20 .03 .20 .20 1.19											18.7 20.0 10.8 10.8 14.7 20.0 10.8 14.7 9.8										

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.
DOUBLE TRACK BETWEEN DULUTH AND WEST DULUTH JUNCTION.
AUTOMATIC BLOCK SIGNALS FROM D. M. & N. JCT. TO WEST DULUTH JCT.

SPECIAL INSTRUCTIONS PAGE 7.

REGISTER STATIONS: Duluth Union Depot and West Duluth for first class trains and passenger extras.
Rice's Point yard office and West Duluth for second and third class trains and extras.

REGISTER EXCEPTIONS: At West Duluth Nos. 61, 63, 65, 627 and 625 register by ticket Form 608.
At West Duluth, Eastward trains register by ticket Form 608 and not require clearance unless train order signal is displayed at caution or stop.

BULLETIN STATIONS: Duluth Union Depot.
Rice's Point yard office and Round House.

STANDARD TIME CLOCKS: Duluth Union Depot.
Rice's Point yard office.

YARD LIMITS: Duluth yard extends from connection with D. & I. R. Ry., at Fifth Ave. East, to the easterly end of the St. Louis River bridge, and from Garfield Avenue to the yard limit sign on the Third Sub-Division main track west of West Duluth Junction, and to Grassy Point bridge.

BRIDGE RESTRICTIONS:

Duluth to Fond du Lac no restrictions.
Great Northern Power Co. track. Speed will be restricted on all bridges for S, S1, S3, S4 and S10 to eight (8) miles per hour.
Engine classes T, Q1 and heavier will not be permitted.

DERAIL SWITCHES:

When not in use must be kept set in derailing position.
Main track 110 feet west of Fond du Lac Depot.

WHISTLE CALLS:

D. M. & N. Jct. Interlocking Plant. Trains will call for routes as follows:
Martin's track to D. M. & N. yard—Three short.
Martin's track to westward main track—Three short and one long.
Martin's track to D. T. main track—Four short.
D. T. main track to Martin's track—Four short.
D. M. & N. Jct. to Martin's track—Three short.
Westward main track to D. M. & N. Jct.—One long and one short.
D. M. & N. Jct. to eastward main track—One long and one short.
Through Westward main track movements—One long.
Through Eastward main track movements—One long.

FIRST SUB-DIVISION
(DULUTH AND SUPERIOR TERMINAL)

EASTWARD

FIRST CLASS									Water, Fuel, Seales, Turn Tables, Wyes and Yard Limits.	Station Numbers.	Distance from D. & I. R. Jct.	Time Table No. 147		Distance from Fond du Lac.	Car Capacity of Sidings.	FIRST CLASS						SECOND CLASS		THIRD CLASS			
66	304	58	400	202	52	62	406	204				September 29, 1929				Succeeding No. 146.		64	54	306	408	402	56	626	628	718	
N. P. 66	D. W. & P. 20	N. P. 58	D. & I. R. 1	D. M. & N. 2	N. P. 51	N. P. 62	D. & I. R. 53	D. M. & N. 4				STATIONS				N. P. 64	N. P. 53	D. W. & P. 6	D. & I. R. 61	D. & I. R. 55	N. P. 56	C. M. St. P. & P. 626	N. P. 628	N. P. 718			
Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger				Telegraph Offices and Calls				Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Freight	Freight	Way Freight			
Daily	Daily	Daily	Daily	Daily	Daily	Ex. Sun.	Daily	Daily			Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Ex. Sun.								
			A 8.49A				A 2.55P		WCO	0.0	D. & I. R. JCT.	15.1															
A 6.30A		A 8.45A	L 8.45A	A 10.57A	A 12.01P	A 2.10P	L 2.50P	A 3.45P	TYX WB 71	0.9	DU DULUTH DN	14.2	Yard	A 7.00P	A 7.25P		L 9.10P	L 10.35P	A 11.30P		A 5.30A						
6.25	A 8.33A	L 8.42A		10.54	L 11.58A	2.06		3.42		1.9	GARFIELD AVE.	13.2		6.56	L 7.22P	A 8.29P			L 11.27P		5.20						
s 6.22	8.31			10.53		s 2.05		3.41	L 2	2.2	20TH AVE.	12.9		6.55		8.27				A 5.10A	5.15	A 12.22P					
6.19	8.29			L 10.51A		2.02		L 3.39P	L 02	2.8	D. M. & N. JCT.	12.3		6.53		8.25				5.03	5.08	12.18					
										3.6	SOO LINE CROSSING	11.5															
										4.4	Interlocked	10.7		6.49		L 8.19P				4.53	5.02	12.08					
6.14	L 8.23A					s 1.52			L 04	5.1	Interlocked	10.0	s	6.47						4.50	5.00	s 12.04					
s 6.12						L 1.48P			WYX L 5	5.8	WU WEST DULUTH DN	9.3	L	6.44P						L 4.45A	L 4.55A	s 12.01P					
L 6.03A										7.0	WEST DULUTH JCT. P	8.1															
										8.1	D. T. CROSSING	7.0										s 11.45A					
									LB 2	8.5	RIVERSIDE	6.6										s 11.43					
									LB 3	9.7	SPIRIT LAKE	5.4										s 11.35					
										10.7	MORGAN PARK	4.4															
										10.7	Minn. Steel Co. Crossing	4.4															
									LB 5	12.4	BOAT CLUB	2.7										s 11.18					
									LB 8	15.1	NEW DULUTH P	2.7										s 11.18					
											FOND DU LAC	0.0										L 11.00A					
Daily	Daily	Daily	Daily	Daily	Daily	Ex. Sun.	Daily	Daily						Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Ex. Sun.					
.22	.10	.03	.04	.06	.03	.22	.05	.06			Time Over Sub-Division			.16	.03	.10	.05	.05	.03	.25	.35	1.22					
11.1	15.0	20.0	13.5	19.0	20.0	13.3	10.8	19.0			Average Speed Per Hour			18.3	20.0	15.0	10.8	10.8	20.0	8.6	8.4	9.4					

**EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION EXCEPT NO. 717 IS SUPERIOR TO NO. 718 WEST DULUTH JCT. TO FOND DU LAC.
DOUBLE TRACK BETWEEN DULUTH AND WEST DULUTH JUNCTION.
AUTOMATIC BLOCK SIGNALS FROM D. M. & N. JCT. TO WEST DULUTH JCT.**

SPECIAL INSTRUCTIONS PAGE 7.

AT DULUTH:

Garfield Avenue, junction switches will be kept set for First Sub-Division.
Rice's Point Yard, trains heading in and using the Dick tracks, Nos. 1 and 2, must not block the crossing at 19th Ave. West.
Fifth Ave. West, main track switch leading into Union Depot for use of D. & I. R. Ry. passenger trains will be kept set and locked for main track.
Garfield Avenue, all trains come to full stop not less than two hundred (200) feet from junction switch and cross-over used by D. W. & P. Ry. trains and not proceed until track is known to be clear.
At 21st Ave. West, telephone located at cross-over for Eastward freight trains call yard for route when necessary (3 rings).

AT FOND DU LAC:

Track between Fond du Lac and Power Plant will not be used except by authority of train orders.

AT WEST DULUTH JUNCTION:

Switch engines will use west leg of wye at West Duluth Junction and the Fond du Lac main track between West Duluth Junction and yard limit board for switch purposes, but will not leave cars on these tracks. All trains will look out for switch engines working in these limits. Switches at end of double track West Duluth Junction will be kept set and locked for Eastward trains from Third Sub-Division main track.

WESTWARD

SECOND SUB-DIVISION
(DULUTH AND SUPERIOR TERMINAL)

FIRST CLASS											Wester, Fuel, Scales, Turn Tables, Wyes and Yard Limits.	Station Numbers.	Distance from Garfield Ave.	Time Table No. 147 September 29, 1929 Succeeding No. 146.	Distance from Central Ave.	Car Capacity of Sidings.	FIRST CLASS		SECOND CLASS	
55	53	23	33	63	51	95	19	93	57	89							35	65	623	731
N. P. 55	N. P. 54	G. N. 23	G. N. 33	N. P. 63	N. P. 62	Omaha 304	G. N. 19	Omaha 512	N. P. 57	Omaha 310							G. N. 35	N. P. 65	N. P. 623	N. P. 732
Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger							Passenger	Passenger	Freight	Freight
Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Ex. Sun.						
L 7.03A	L 9.03A				L 2.54P				L 7.03P					L 5.33P						
7.06	9.05				2.56				7.05					5.34	L 12.35A					
7.08	9.07	L 8.32A	L 8.43A		2.58	L 3.51P	L 4.07P	L 5.43P	7.07	L 9.06P		L 9.37P		5.36	12.41					
7.11	9.10	8.37	8.46		3.01	3.54	4.11	5.46	7.10	9.09		9.40		5.39	12.47					
7.13	9.12	8.39	8.48		3.03	A 3.57P	4.14	A 5.49P	7.12	A 9.12P		9.42		5.41	12.55					
s 7.14	s 9.14	s 8.40	s 8.50	L 2.31P	s 3.04		s 4.15		s 7.15		X WB67	3.2	s 9.45	L 12.06A						
7.16	9.15	8.41	8.51	2.33	3.05		4.16		7.17			3.6	9.46	12.10	5.52 1.00					
As 7.30A	As 9.25A	As 8.50A	As 9.00A	As 2.43P	As 3.15P		A 4.24P		As 7.32P		WYX 67	7.3	As 9.55P	As 12.20A	As 6.30P 1.25A					
Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily			Daily	Daily	Daily Ex. Sun.					
.27	.22	.18	.17	.12	.21	.06	.17	.06	.29	.06			.02	.14	.57 .50					
16.2	19.9	20.0	21.1	20.5	20.8	16.0	21.1	16.0	13.7	16.0			18.0	17.1	7.7 7.8					
													Time Over Sub-Division							
													Average Speed Per Hour							

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.
DOUBLE TRACK BETWEEN GARFIELD AVENUE AND OMAHA CONNECTION, AND BETWEEN BELKNAP STREET AND CENTRAL AVENUE, EXCEPT OVER MINNESOTA DRAW ON ST. LOUIS RIVER BRIDGE WHICH IS GOVERNED BY INTERLOCKING SIGNAL.
AUTOMATIC BLOCK SIGNALS BETWEEN CENTRAL AVENUE AND 21ST STREET, SUPERIOR.

SPECIAL INSTRUCTIONS PAGE 7.

REGISTER STATIONS: Superior Union Depot and Central Avenue for first class trains and passenger extras.
Rice's Point and Central Avenue for second class and inferior trains.

BULLETIN STATIONS: Rice's Point yard office.
Rice's Point round house.

REGISTER EXCEPTIONS: At Central Avenue Eastward trains register by ticket, Form 608, and will not require clearance unless train order signal is displayed at stop or caution.

DERAIL SWITCHES: When not in use must be kept set in derailing position.
East end N. P. Freight House track, Superior.
Main track just east of N. P. Freight House, Superior.

SPEED

RESTRICTIONS:

At Superior, all trains and engines will run with restricted speed between west yard limit board, Superior and Omaha connection, including Lake Superior Terminal & Transfer tracks between Belknap Street and Omaha connection expecting to find track occupied, and will not exceed ten (10) miles per hour over switches at Belknap Street.

Second and inferior class trains will move with great care between Winter and Belknap Streets, Superior Freight yard, expecting to find the main tracks blocked.

AT SUPERIOR: All trains using tracks of Lake Superior Terminal & Transfer Railway, between Omaha connection and Belknap Street, will be governed by L. S. T. & T. Ry. time table rules and regulations.

AT SUPERIOR:

AT CENTRAL AVENUE:

Westward trains and engines have the right to use Eastward main track between west lead from yard and the junction switch leading to terminal Fourth Sub-Division main track without protection, and all eastward trains will approach and pass through this territory with restricted speed expecting to find track occupied.

AT DULUTH:

Garfield Ave., all trains will come to a full stop not less than two hundred (200) feet from junction switch and cross-over used by D. W. & P. trains and not proceed until track is known to be clear.

WESTWARD									THIRD SUB-DIVISION (DULUTH AND SUPERIOR TERMINAL)										EASTWARD													
FIRST CLASS									Water, Fuel, Scales, Turn Tables, Wyes and Yard Limits.	Station Numbers.	Distance from West Duluth Jct.	Time Table No. 147 September 29, 1929 Succeeding No. 146.										Distance from Superior U. D.	Car Capacity of Sidings.	FIRST CLASS								
65	309	317	63	313	321	307	311	319				66	318	310	322	312	314	308	64	320												
N. P. 65	D. S. S. & A. 8	Soo Line 18	N. P. 63	Soo Line 63	Soo Line 163	D. S. S. & A. 6	Soo Line 61	Soo Line 161				N. P. 66	Soo Line 17	D. S. S. & A. 7	Soo Line 162	Soo Line 60	Soo Line 62	D. S. S. & A. 5	N. P. 64	Soo Line 160												
Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger				Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger												
Daily	Daily	Daily	Daily	Daily	Ex. Sun.	Ex. Sun.	Ex. Sun.	Ex. Sun.	Daily	Daily	Daily	Ex. Sun.	Ex. Sun.	Daily	Ex. Sun.	Daily	Ex. Sun.															
L 11.50P			L 2.18P						WYX	L 5	0.0	WEST DULUTH JCT. P	3.6	A 6.03A				A 6.44P														
11.53			2.20								0.6	ZENITH FURNACE	3.0	6.01				6.42														
11.55P	L 6.20P	L 5.43P	2.22	L 1.44P	L 10.50A	L 8.19A	L 7.46A	L 6.28A			1.3	Soo Line DW&P BERWIND JCT. Conn.	2.3	5.58	A 7.46A	A 9.28A	A 4.38P	A 5.04P	A 5.30P	A 5.35P	6.40	A 6.41P										
											1.8	(GRASSY POINT DRAWBRIDGE) Interlocked 0.5	1.8																			
12.02A	A 6.26P	A 5.49P	2.28	A 1.50P	A 10.56A	A 8.25A	A 7.52A	A 6.34A			3.3	L. S. T. & T. RY. JCT. Interlocked 1.5	0.3	5.49	L 7.39A	L 9.22A	L 4.30P	L 4.57P	L 5.24P	L 5.29P	6.32	L 6.34P										
As 12.06A			As 2.31P							WB 67	3.6	SUPERIOR U. D. D	0.0	L 5.47A							L 6.31P											
Daily	Daily	Daily	Daily	Daily	Ex. Sun.	Ex. Sun.	Ex. Sun.	Ex. Sun.						Daily	Daily	Daily	Ex. Sun.	Ex. Sun.	Daily	Ex. Sun.	Daily	Ex. Sun.										
.16	.06	.06	.13	.06	.06	.06	.06	.06				Time Over Sub-Division		.16	.07	.06	.08	.07	.06	.06	.13	.07										
18.5	20.0	20.0	18.6	20.0	20.0	20.0	20.0	20.0				Average Speed Per Hour		18.5	17.1	20.0	15.0	17.1	20.0	20.0	16.6	17.1										

**EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.
DOUBLE TRACK BETWEEN BERWIND JCT. AND L. S. T. & T. RY. JCT., SUPERIOR.**

SPECIAL INSTRUCTIONS, PAGE 7.

REGISTER STATIONS: Superior Union Depot for first class trains and passenger extras.

SPEED RESTRICTIONS: At Grassy Point Bridge twenty (20) miles per hour.

AT GRASSY POINT DRAW BRIDGE: A torpedo machine is located just inside of the Home Signal and is operated in connection with derail. The explosion of one torpedo indicates that derail is set in derailing position and train must be brought to a stop immediately to prevent derailment.

RULES GOVERNING THE MOVEMENT OF TRAINS OVER GRASSY POINT DRAW BRIDGE.

AT WEST DULUTH JUNCTION:

All trains will run with restricted speed around east leg of wye and passing Zenith Furnace plant, looking out for switch engines working on main track. Junction switch will be kept set and locked for terminal First Sub-Division main track. East leg of wye is terminal Third Sub-Division main track and the switch at junction at east and west legs of wye will be kept set and locked for main track.

WESTWARD				FOURTH SUB-DIVISION (DULUTH AND SUPERIOR TERMINAL)										EASTWARD										
THIRD CLASS				FIRST CLASS			Water, Fuel, Scales, Turn Tables, Wyes and Yard Limits.	Station Numbers.	Distance from East End.	Time Table No. 147 September 29, 1929 Succeeding No. 146.										Distance from Central Ave.	Car Capacity of Sidings.	FIRST CLASS		SECOND CLASS
731	53	51	54	52	732	54				52	732													
Way Freight	Passenger	Passenger	Passenger	Passenger	Freight	Passenger				Passenger	Freight													
Ex. Sun.	Daily	Daily	Daily	Daily	Ex. Sun.	Daily				Daily	Ex. Sun.													
L 10.30A	L 6.50P	L 11.25A	Woy	X	63	0.0	SP EAST END D	4.0	Yard	As 9.35A	As 3.25P	A 1.40A												
10.39	6.54	11.29				1.8	C. St. P. M. & O. Crossing Interlocked 1.8 Track Conn. HILL AVE.	2.2	Yard	9.31	3.21	1.33												
						2.9	SOO LINE CROSSING Interlocked 1.1 Track Conn.	1.1																
A 10.45A	As 7.00P	As 11.35A	WYX		67	4.0	AJ CENTRAL AVE. DN	0.0	Yard	L 9.25A	L 3.15P	L 1.25A												
Ex. Sun.	Daily	Daily								Daily	Daily	Ex. Sun.												
.15	.10	.10					Time Over Sub-Division			.10	.10	.15												
16.0	24.0	24.0					Average Speed Per Hour			24.0	24.0	16.0												

**EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.
DOUBLE TRACK BETWEEN EAST END PASSENGER STATION AND EAST LEG OF WYE AT CENTRAL AVE.**

REGISTER STATION: Central Avenue.

AT CENTRAL AVENUE: Switches at west end of double track will be kept set and locked for eastward trains. Switches at connection of Fourth and Second Terminal Sun-Divisions near depot will be kept set and locked for Second Sub-Division. Care will be taken by train and enginemen when using east leg of wye, as it is single track and on sharp curve; trains will not exceed twelve (12) miles per hour, and in foggy or stormy weather they will protect by flag.

AT EAST END: Switches at east end of double track, east of passenger station, will be kept set and locked for westward trains from First Sub-Division main track. The distant semaphore of interlocking signals governing movement of westward trains from First Sub-Division main track, is an automatic signal of upper quadrant type. When horizontal or red light, it indicates track or cross-overs between signal and passenger station in use. When diagonally upward or yellow light, caution. When vertical or green light, proceed.

SPECIAL INSTRUCTIONS.

(Note Changes.)

1. Second class and inferior trains may run ahead of delayed first class trains between West Duluth Junction and Duluth, Superior and Rice's Point, West Duluth Junction and Superior, Superior and East End, without orders.
2. All inferior to first class trains may run ahead of each other without orders.
3. Clearance Form A will not be required at Rice's Point Yard, Superior Freight Station or Superior Union Depot.
4. Extra trains, work extras and switch engines do not require train orders for movement between West Duluth Junction and Duluth, between Central Avenue and Rice's Point, between Central Avenue and East End, nor between West Duluth Jct. and Superior.
5. A Brakeman or Flagman must be stationed on the rear car of all trains, at all times, and be provided with proper flagging equipment. In case train is stopped on main track, Flagman must go back immediately with stop signals a sufficient distance to insure full protection to his train. Conductors and switch foremen will be held responsible for the strict observance of this rule.
6. To insure personal safety, Telegraphers having train orders or messages to deliver to passing trains, will stand to the right hand side of the train and avoid standing between tracks when possible to do so.
7. All trains must move within yard limits prepared to stop unless the main track is seen or known to be clear.
8. The D. T. main track is the northmost track between the Boston Coal Dock crossing and connection with Grassy Point main track. All switches leading from this track, when not in use, will be left lined for same.

9. All train crews, switch crews and light engines using D. T. main track from connection of Missabe coal dock with this track to east end of Zenith Furnace Company's lead, on Grassy Point line, will move in both directions under full control, expecting to find the D. T. main track occupied.
10. D. T. connection, located at east end of Zenith Furnace Company's lead, Grassy Point line, will be considered a railroad crossing. Trains using this connection will make usual stop and make sure that track is clear before proceeding.
11. Bridge Restrictions.
Speed will be restricted over St. Louis Bridge between Duluth and Superior to twenty (20) miles per hour.
12. Great Northern Power Co. Track. Speed will be restricted on all bridges for Engines Class S3, S4 and S10 to eight (8) miles per hour. Engines Classes T, Q1 and heavier will not be permitted.
13. When necessary to use a side track for main track, in addition to setting and locking switches for the siding and covering the same by train order, a flagman with proper flagging material will be stationed to fully protect approaching trains in the manner called for in Transportation Rules until movement over main track is resumed. When conductors find it necessary to leave switches set for siding they must fully protect approaching trains until relieved by trackmen or other employees fully competent and equipped to do so.
- 14.—The following letters when placed after the figures of schedule indicate:
"A"—AM
"P"—PM

AUTHORIZED SURGEONS:—

Dr. C. S. KNOX, 219 Albany Block, Superior, East End,
 Dr. A. L. KYLLO, 5719 Tower Ave., Superior,
 Dr. W. H. SCHNELL, 28 Columbia Bldg., Superior,
 Dr. F. C. SARAZIN, 28 Columbia Bldg., Superior,
 Dr. G. C. MacRAE, 400 Lyceum Bldg., Duluth,
 Dr. C. M. SMITH, 400 Lyceum Bldg., Duluth,
 Dr. O. E. HEIMARK, 2004 W. Superior St., Duluth,
 Dr. C. L. HANEY, 2004 W. Superior St., Duluth,

Office Telephone
 East 67R1
 Broad 1458R1
 Broad 65
 Broad 65
 Melrose 1089
 Melrose 1089
 Melrose 458
 Melrose 458

Residence Telephone
 East 67R2
 Broad 161
 Broad 532
 Broad 192
 Hemlock 3954W
 Hemlock 1955
 Melrose 1157
 Melrose 579

LOCATION STRETCHERS:—

East End Freight Station.

 Central Avenue Freight Station.
 Superior Freight Station.
 Rices Point Yard Office, Duluth.
 Dock 6, Duluth.
 Duluth Union Depot.
 Tool Car, Duluth.
 West Duluth Passenger Station.

WATCH INSPECTORS:—

H. HENDRICKSON, Duluth, 416 West Superior St.
 E. E. ESTERLY,, Duluth, 1919 W. Superior St.
 W. F. HURST, West Duluth, 301 N. Central Ave.
 L. J. HOWATT, Superior, 1313 Tower Ave.

MAXIMUM CLEARANCES.

	LIMIT OF LOAD MEASUREMENT.																		
	Height Above Top of Rail.																		
	1 ft. Wide	2 ft. Wide	3 ft. Wide	4 ft. Wide	5 ft. Wide	6 ft. Wide	7 ft. Wide	7 ft. 6 in. Wide	8 ft. Wide	8 ft. 6 in. Wide	9 ft. Wide	9 ft. 6 in. Wide	10 ft. Wide	10 ft. 2 in. Wide	10 ft. 6 in. Wide	11 ft. Wide	11 ft. 6 in. Wide	Max. Height	Max. Width
First Sub-division, Duluth to Fond du Lac.....	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	11'-6"
Second Sub-division, Garfield Ave. to Central Ave.....	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	11'-6"
Third Sub-division, West Duluth Jct. to Superior U. D.....	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	20'-3"	11'-6"
Fourth Sub-division, East End to Central Ave.....	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	11'-6"

F. L. BIRDSALL,
 Ass't Superintendent.

W. D. PEARCE,
 Ass't Superintendent.

H. J. COUNCILMAN,
 Trainmaster.

A. S. CRITCHFIELD,
 Trainmaster.

GEORGE STEINER,
 Chief Dispatcher.

