# ORTHER PAGE BALWAY COMPANY.

DULUTH AND SUPERIOR TERMINALS

# 

In Effect at 12:01 A. M. Central or 90th Meridian Time.

SUNDAY, MAY 1, 1932.

For the Government of Employes only. The Company reserves the right to vary therefrom at pleasure. Be positive that you have the Current Time Table and destroy all previous numbers. Read carefully the Special Instructions and always have for reference a copy of TRANSPORTATION RULES.

W. C. SLOAN, General Manager F. R. BARTLES,
Assistant General Manager

P. H. MCCAULEY,
General SuperIntendent of Transportation.

G. H. JACOBUS,

SuperIntendent.

WESTWARD

#### FIRST SUB-DIVISION (DULUTH AND SUPERIOR TERMINAL)

			F	RST CL	ASS						Time Table No. 166			FI	RST CLA	ss	SECON	CLASS	THIRD	CLASS
ı	55	401	201	407	61	51	405	68		Jot.	May 1, 1932			303	57	65	623	627	723	
	N. P. 55	D. M. & N.	D. M. & N.	D. M. & N.	N. P.	N. P. 52	D. M. & N.	1 K	Numbers.	z	Succeeding No. 165.	8 9	\$	D. W. & P.	N. P. 57	N. P. 65	N. P.	N. P. 627	N. P. 723	-
Pa			Passenger		Passenger			토유민		Distance from East D. M. &	STATIONS	Distance from Fond du Lac.	Car Capacity of Sidings.	<u> </u>		Passenger	623 Freight	Freight	Way Freight	
H	Dally	Daily	Dally	Dally	Ex. Sun.	Dally	Dally	Wate Turn	Station	Dista	Telegraph Offices and Calls	Dista	25	Dally	Dally	Daily	Dally	Dally	Mo., Wed. and Fri.	
		L 7.55AH		t. 7.50am			L 5.3 2			0.0	EAST D. M. & N. JCT	15.1								
L	7.15a4	A 8.00AH	L 8.30am	a 7.55ah	L 1.50m	L 2.35m	A 5.350	WCO TYX	WB7I	0.9	DUDULUTHDN	14.2	Yard		L 7.30PM	L 11.30pg	L 5.30nu	L 8.00pm		
Α	7. I 8.úu	·	8.33		1.53	A 2.39PN		ļ	ļ	1.9	GARFIELD AVE.	13.2		L 6.51PM	а 7.33ри	11.33	д 5.33pm	8.04		
Г			8.34		в 1.55			ļ	L 2	2.2	20TH AVE	12.9		6.53		f 11.35		8.05	L 5.30AM	
			A 8.3648		1.56			ļ	L 02	2.8	WEST D. M. & N. JCT Interlocked	12.3		6.54		11.37		8.07	5.33	
										3,6		11.5								
		ļ			2.00	-		ļ		4.4	D. W. & P. JCT. Interlocked 0.7	10.7		а 6.59м		11.40		8.13	5.39	
					s 2.05				L 04	5.1	WUWEST DULUTHDN	10.0				s II.44		8.16	5.42	
					A 2.08mm			WYX	L5	5.8	WEST DULUTH JCTP	9.3				A 11.50ри		A 8.20m	а 5.45	
										7.0	D. T. CROSSING	8.1								
				-		-				8.1	RIVERSIDE 0.4	7.0								
		:	:.	٠.				<del></del>	LB 2	8.5	SPIRIT LAKE	6.6			-	:				
								<del>-</del>	LB 3	9.7	Minn. Steel Co. Crossing	5.4								
	.									10.7	BOAT CLUB	4.4				n n Nas				
		· · .							LB 5	12.4	NEW DULUTHP	2.7								
									LB 8	15.1	FOND DU LAC	0.0							Mo., Wed.	
1	Daily	Daily	Daily	Dally	Ex. Sun.	Dally	Daily							Daily	Dally	Daily	Dally	Dally	and Frt.	
	.03	.05	19.0	10.8	16.3	15.0	.04				Time Over Sub-Division  Average Speed Per Hour			.08	20.0	.20 14.7	20.0	.20 14.7	.15	

# EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION. DOUBLE TRACK BETWEEN DULUTH AND WEST DULUTH JUNCTION. AUTOMATIC BLOCK SIGNALS FROM WEST D. M. & N. JCT. TO WEST DULUTH JCT.

SPECIAL INSTRUCTIONS PAGE 7.

REGISTER STATIONS: Duluth Union Depot and West Duluth for first class trains and passenger extras.

Rice's Point yard office and West Duluth for second and third class trains and extras.

REGISTER EXCEPTIONS:

At West Duluth Nos. 61, 65, 627 and 727 register by ticket Form 608. At West Duluth, Eastward trains register by ticket Form 608 and not require clearance unless train order signal is displayed at caution or stop.

BULLETIN STATIONS: Duluth Union Depot. Rice's Point yard office and Round House.

STANDARD TIME CLOCKS:

YARD LIMITS:

Duluth Union Depot. Rice's Point yard office.

Duluth yard extends from connection with D. M. & N., at Fifth Ave. East, to the easterly end of the St-Louis River bridge, and from Garfield Avenue to the yard limit sign on the Third Sub-Division main track west of West Duluth Junction and to Grassy Point bridge.

**DERAIL SWITCHES:** 

BRIDGE RESTRIC-

TIONS:

When not in use must be kept set in derailing position. Main track 110 feet west of Fond du Lac Depot.

miles per hour. Engine classes T, Q1 and heavier will not be permitted.

WHISTLE CALLS:

D. M. & N. Jet. Interlocking Plant. Trains will call for routes as follows: Martin's track to D. M. & N. yard—Three short.
Martin's track to westward main track—Three short and one long.
Martin's track to D. T. main track—Four short.
D. T. main track to Martin's track—Four short.
D. M. & N. Jet. to Martin's track—Three short
Westward main track to D. M. & N. Jet.—One long and one short.
D. M. & N. Jet. to eastward main track—One long and one short.
Through Westward main track movements—One long.
Through Eastward main track movements—One long.

AT DULUTH:

All westward freight trains between Fifth Avenue West and Garfield Avenue must not exceed a speed of twelve miles per hour through cross-over switches at west end of depot yard near switch shanty and over crossings and switches at Garfield Avenue.

Duluth to Fond du Lac heavier than class L-7 engines not permitted. Speed restricted to six (6)

miles per hour over bridge 4.

Great Northern Power Co. track. Speed will be restricted on all bridges for S3, S4 and S10 to eight (8)

#### FIRST SUB-DIVISION (DULUTH AND SUPERIOR TERMINAL)

EAS	סרלי	ťŔ	D.

<del></del>		251	FI	RST CLA	SS				ĺ			Time Table No. 166			FIRST	CLASS	SECONE	CLASS	THIRD	CLASS
66	304	400	58	52	62	204	404	402	ea,		Jot.	May 1, 1932			56	1	626	628	724	:
N. P.	D. W. & P.	D. M. & N.	N. P. 58	N. P. 51	N. P. 62	D. M. & N.	D. M. & N.	D. M. & N.	es, Esal	umbors.	R N.	Succeeding No. 165.	from Lac.	olty	N. P. 56		C. M. St. P. & P. 626	N. P. 628	N. P.	
	Passenger	Passenger	<del></del>		Passenger	Passenger	Passenger	Passenger	Yard Yard	ion N	Distance from East D. M. &	STATIONS	Distance Fond du	Car Capacity of Sidings,	Passenger		Freight	Freight	Way Freight	3
Dally	Dally	Dally	Daily	Daily	Ex. Sun.	Dally	Dally	Dally	Water Turn and Y	Stat	East	Telegraph Offices and Calls	DA.	2.2	Daily	14.	Dally	Dally	Tue. Thu. and Sat.	
		A 8.39AM					A 5.05PM	A 5.45PM	*****		0.0	EAST D. M. & N. JCT.	15.1	ļ <u>.</u>	:			4.1		
6.30an		L 8.35AN	A 9.35AH	A 12.01PM	A 1.20PM	A 4.50pm	L 5.00PM	L 5.40?	WC0 TYX		0.9	DUDUĽŰTHDN	14.2	Yard	A II.30ры			A 5.30AM		
6.25	A 8.43AM		L 9.32AM	L 11.58AK	1.18	4.47			<u> </u>		1.9	GARFIELD AVE.	13.2	<u> </u>	L     1.27pg	u. Li		5.20		-
6.22	8.40		Y., "		s 1.17	4.46		i .	<u> </u>	L 2	2.2	20TH AVE. 0.6	12.9				A 5.10AN		A 12.30mm	
6.19	8.39		F	-	1.16	1. 4.4491				L 02	2.8	WEST D. M. & N. JCT Interlocked	12.3	ļ	2 - 1 d y 1		5.03	5.08	12.26	
				<u></u>		·					3.6	SOO LINE CROSSING	11.5							
6.14	L 8.33AM				1.12				ļ	·	4.4	D. W. & P. JCT.	10.7				4.53	5.02	12.21	
6.12			÷		s 1.10				<u>.</u>	L 04	5.1	WUWEST DULUTHDN 0.7		ļ <del></del>			4.50	5.00	12.18	
6.03AN					L 1.07pg		ļ.	2.5	WYX	L 5	5.8	WEST DULUTH JCT. P	9.3	  -	(4)		L 4.45AH	L 4.55M	L [2.[5mg	
		<u> </u>	·	<u>.</u>							7.0	D. T. CROSSING	7.0		·	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -				
				<u></u>						LB 2	8.1	0.4 SPIRIT LAKE	- 1.0 - 6.6							
		3.43	+ /01		. :		.:			LB 3	9.7	MORGAN PARK	5.4	1 7 4		. 4.				
						** **		15.		, , , ,	4.	Minn. Steel Co. Crossing 1.0		1	C.C.					
										·	10.7	BOAT CLUB	4.4	1.	ş			5 . P.S.		
÷.	ļ		10000			874 ( A .		ļ		LB 5	12.4	NEW DULUTHF	0.0							
					12 12 12		2 2 2			LD 8	13.1		0.0	-	Dally		: Dally	Dally	Tue. Thu. and Sat.	
Daily .27	Dally .10	Dally .04	Daily .03	Daily .03	Ex. Sun.	Daily .06	Dally .05	Dally .05	-	- 7.		Time Over Sub-Division		1	.03		.25	.35	.15	
10.9	15.0	13.5	20.0	20.0	22.6	19.0	10.8	10.8	<del> </del>		<del>-</del> -	Average Speed Per Hour			20.0	es dej j	8.6	1.8.4	c*14.4 :	15 12 2

# EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION. DOUBLE TRACK BETWEEN DULUTH AND WEST DULUTH JUNCTION. AUTOMATIC BLOCK SIGNALS FROM WEST D M. & N. JCT. TO WEST DULUTH JCT.

#### SPECIAL INSTRUCTIONS PAGE 7.

AT DULUTH:

Garfield Avenue, junction switches will be kept set for First Sub-Division.
Rice's Point Yard, trains heading in and using the Dick tracks, Nos. 1 and 2, must not block the crossing at 19th Ave. West.
Fifth Ave. West, main track switch leading into Union Depot for use of D. M. & N. passenger trains will be kept set for Depot track.
Garfield Avenue, all trains come to full stop not less than two hundred (200) feet from junction switch and cross-over used by D. W. & P. Ry. trains and not proceed until track is known to be clear.
At 21st Ave. West, telephone located at cross-over for Eastward freight trains call yard for route when necessary (3 rings).

AT FOND DU LAC:

Between Fond du Lac and Power Plant, trains before using this track will call up Upper Power Plant (Douglas 50), from New Duluth, and secure permission.

AT WEST DULUTH JUNCTION:

Switch engines will use west leg of wye at West Duluth Junction and the Fond du Lac main track between West Duluth Junction and yard limit board for switch purposes, but will not leave cars on these tracks. All trains will look out for switch engines working in these limits. Switch at west end wye will be kept set and locked for First Sub-Division.

WESTWARD

#### SECOND SUB-DIVISION (DULUTH AND SUPERIOR TERMINAL)

	·····		FIRST	CLASS							Time Table No. 166			FIRST	CLASS	SEC	COND CL	A:
	55	23	51	19	93	57	89	r yes.	É		May 1, 1932 Succeeding No. 165.			35	65	623	625	
	N. P. 55	G. N. 23	N. P. 52	G. N. 19	Omaha 512	N. P. 57	Omaha 510	Fuel, Soales, ablos, Wyes rd Limits.	Numbe	from Ave.	STATIONS	from 176.	odty.	G. N. 35	N. P. 65	N. P. 623	C. M. St. P. & P. 626	_
	Passenge	Passenger	Passenger	Passenger	Passenge	Passenger	Passenge	Water, F Turn Tel	Station P	Distance Garffeld		Distance from Central Ave.	Car Capacity of Sidings.	Passenger	Passenger	Freight	Freight	Ī
	Daily	Dally	Dally	Dally	Daily	Daily	Dally	AF 3	8	29	Telegraph Offices and Calls	DO.	20	Dally	Dally	Dally	Daily	_
	L 7.184	M.	L 2.39#			L 7.33es				0.0	GARFIELD AVE	7.3				L 5.33 <sub>PH</sub>		
ĺ	7.21		2.41			7.35		WCC TYX		0.8	RICE'S POINT	6.5	Yard	-		5.34	L 8.00pm	
1	7.23	L 8.32AM	2.43	L 4.07m	L 5.43m	7.36	L 7.35m	ļ	<u></u>	1.3	0.5 BRIDGE SWITCH	6.0	<b>-</b>	L 10.07₽¥	:	5.36	8.05	
ļ	7.26	8.37	2.46	: 4.11	5.46	7.39	7.39	ļ		2.2	ELEVATOR STATION	5.1		10.10		5.39	8.09	į
	7.28	8.39	2.48	4.14	A 5.49m	7.41	A 7.42m	ļ	ļ	2.9	0.7 OMAHA CONN	4.4	·	10.12		5.41	8.11	ı
	в 7.29	s 8.40	в 2.49	s 4.15		s 7.42		X	WB67	3.2	BYSUPERIOR U. DD	4.1		s 10.15	L 12.064			
	7.3i	8.41	2.50	4.16		7.44		ļ		3.6	BELKNAP STREET	3.7		10.16	12.10	5.52	8.20	
ļ	As 7.40a	A8 8.504	As 3.00m	A 4.24m		As 7.55m		WYX	67	7.3	AJCENTRAL AVENUEDN	0.0	Yard	A 8   0.25pu	As   2.20AH	дв 6.30жш	А 8.50ры	
	Dally	Dally	Dally	Dally	Dally	Dally	Daily							Dally	: Daily	Daliy	Delly	
_ -	.22	.18	.21	.17	.06	,22	.07				Time Over Sub-Division			.18	.14	.57	.50	:
İ	19.9	20.0	20.8	21.1	16.0	19.9	13.7				Average Speed Per Hour			20.0	17.1	7.7	7.8	

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

DOUBLE TRACK BETWEEN GARFIELD AVENUE AND OMAHA CONNECTION, AND BETWEEN BELKNAP STREET AND CENTRAL AVENUE, EXCEPT OVER MINNESOTA DRAW ON ST. LOUIS RIVER BRIDGE WHICH IS

GOVERNED BY INTERLOCKING SIGNAL.

AUTOMATIC BLOCK SIGNALS BETWEEN CENTRAL AVENUE AND 21ST STREET, SUPERIOR.

SPECIAL INSTRUCTIONS PAGE 7.
REGISTER STATIONS: Superior Union Depot and Central Avenue for first class trains and passenger extras.
Rice's Point and Central Avenue for second class and inferior trains.

BULLETIN STATIONS: Rice's Point yard office.
Rice's Point round house.

REGISTER **EXCEPTIONS**  At Central Avenue Eastward trains register by card, Form 608, and will not require dearance unless train order signal is displayed at stop or caution. Westward Trains register by card, Form 608.

DERAIL SWITCHES:

When not in use must be kept set in derailing position. East end N. P. Freight House track, Superior. Main track just east of N. P. Freight House, Superior.

SPEED RESTRICTIONS:

At Superior, all trains and engines will run with restricted speed between west yard limit board, Superior and Omaha connection, including Lake Superior Terminal & Transfer tracks between Belknap Street and Omaha connection expecting to find track occupied, and will not exceed ten (10) miles per hour over switches

Omaha connection expecting to find track occupied, and will not exceed ten (10) miles per hour over switches at Belknap Street.

Second and inferior class trains will move with great care between Winter and Belknap Streets, Superior Freight yard, expecting to find the main tracks blocked.

All trains using tracks of Lake Superior Terminal & Transfer Railway, between Omaha connection and Belknap Street, will be governed by L. S. T. & T. Ry. time table rules and regulations.

Westward trains and engines have the right to use Eastward main track between west lead from yard and the junction switch leading to terminal Fourth Sub-Division main track without protection, and all eastward trains will approach and pass through this territory with restricted speed expecting to find track occupied.

Garfield Ave., all trains will come to a full stop not less than two hundred (200) feet from junction switch and cross-over used by D. W. & P. trains and not proceed until track is known to be clear.

**EASTWARD** 

#### SECOND SUB-DIVISION (DULUTH AND SUPERIOR TERMINAL)

			FI	RST CLA	SS		· · · · · · · · · · · · · · · · · · ·				Time Table No. 166			FIRST	CLASS
6	6	94	36	58	52	96	24	1 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	ġ		May 1, 1932 Succeeding No. 165			20	56
	. P. 66	Omaha 511	G. N. 36	N. P. 58	N. P. 51	Omaha 503	G. N. 24	Water, Fuel, Boales, Turn Tables, Wyes	Number	from	STATIONS	Distance from Centra! Ave.	Car Capacity of Sidings.	G.:N. 20	N. P. 56
Pass	enger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	,	Station 1	Distance Garfield	<del>- ; · · · · · · · · · · · · · · · · · · </del>	tance	Oig	Passenger	Passenger
D.	aily	Daily	Daily	Daily	Dally	Daily	Dally	WHE	Bt a	DO D	Telegraph Offices and Calls	สีขึ้	2 2 2 2 2	Dally	Dally
				A 9.32	A 11.58M					00	GARFIELD AVE	7.3	<b></b>	:	A 11.27m
		-	:	9.30	11.54		ļ	WCO TYX	Lı	0.8	RICES POINT	6.5	Yard		11.25
l		A 7.51AM	A 7.53A	9.28	11.52	A 1.138	A 2.1879		ļ <u>.</u>	1.3	BRIDGE SWITCH	6.0		A 8.23pw	11.24
		7.48	7.49	9.25	11.49	1.09	2.14	·i		2.2	ELEVATOR STATION	5.1		8.19	11.21
		L 7.46AM	7.47	9.23	11.46	L 1.06PM	2.12			2.9	OMAHA CONN.	4.4		8.16	11.19
AВ	5.40ax		s 7.45	e 9.21	s 11.45		s 2.10	x	WB 67	3.2	BY_SUPERIOR U. DD	4.1		s 8.15	81.11 a
	5.38		7.41	9.20	11.44		2.06		ļ	3.6	BELKNAP STREET	3.7		8.11	11.15
L	5.29AH		L 7.28A	9.10AM	L 11.35	-	L I.58թյ	WYX	67	7.3	AJCENTRAL AVENUE_DN	0.0	Yard	L 8.03PM	L 11.05p±
 D:	aily	Daily	Dally	Daily	Dally	Dally	Dally							Dally	Dally
	.11	.05	.25	.22	.23	.07	.20	-			Time Over Sub-Division			.20	.22
22	2.3	19.2	14.4	19.9	19.0	13.7	18.0				Average Speed Per Hour			18.0	19.9

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

DOUBLE TRACK BETWEEN GARFIELD AVENUE AND OMAHA CONNECTION AND BETWEEN BELKNAP STREET AND CENTRAL AVENUE, EXCEPT OVER MINNESOTA DRAW ON ST. LOUIS RIVER BRIDGE WHICH IS

GOVERNED BY INTERLOCKING SIGNAL.

AUTOMATIC BLOCK SIGNALS BETWEEN CENTRAL AVENUE AND 21ST STREET, SUPERIOR.

### RULES GOVERNING MOVEMENT OF TRAINS OVER ST. LOUIS RIVER BRIDGE.

#### LOCATION OF SIGNALS

SPECIAL INSTUCTIONS PAGE 7.
Interlocking semaphore signals govern use of tracks between Bridge Switch and Elevator Station.
All semaphore signals are upper quadrant type with following indications:
Top arm, horizontal, red light, stop.
Diagonally upward or yellow light, caution.
Vertical, green light, proceed, clear.
With the exception of the three-arm semaphore located west of Minnesota draw on eastward track, and the two-arm semaphore located just east of Elevator Station on the westward track, a lower arm, half length, is provided, and following indications of this arm will govern:
Diagonally upward or yellow light, proceed with restricted speed expecting a train immediately ahead or routes lined up for movement against current of traffic.
The three-arm semaphore on eastward track west of Minnesota draw indicates position of double track switch, position of draw and route Top arm, Northern Pacific.
Middle arm, Great Northern.
Bottom arm, C. St. P. M. & O.
SPEED RESTRICTION: At Minnesota and Wisconsin drawbridges twenty (20) miles per hour.

SPEED RESTRICTION: At Minnesota and Wisconsin drawbridges twenty (20) miles per hour.

The two-arm semaphore on westward track east of Elevator Station is route indication.

Top arm, straight main line.

Bottom arm, Great Northern freight track.

Derails are located as follows:

At approach to Elevator Station from east and west.

At approach to Minnesota draw from Duluth.

All trains in both directions will come to a full stop before entering onto Wisconsin draw.

All eastward trains will come to a full stop before entering onto Minnesota draw.

If proceed signal is recived at the approach to Minnesota draw from the east, it will not be necessary to stop for such draw, it being protected by derail. protected by derail.

Dwarf signals are of modern, upward quadrant type and govern movements against current of traffic.

Horizontal, red light, stop.

Vartical, green light, caution

WESTWARD

#### THIRD SUB-DIVISION (DULUTH AND SUPERIOR TERMINAL)

**EASTWARD** 

Second Class		FIRST	CLASS				· . "	Time Table No. 166				FIRST	CLASS		Second Class
311	65	309	317	313	Soules, Wyes nits.	bers.	, of	May 1, 1932 Succeeding No. 165.			310	66	318	314	312
Soo Line 51	N. P. 65	D. S. S. & A. 8	Soo Line 18	Soo Line	Fuel, Tables, ard Lin	Man N.	Distance from West Duluth	STATIONS	de from	Car Capacity of Sidings.	D. S. S. & A. 7	N. P. 66	Soo Line	Soo Line	Soo Line
Mixed	Passenger	Passenger	Passenger	Passenger	6.8	Station N	Btan Satan		Distance Superior	0.55 1.55 1.55 1.55 1.55 1.55 1.55 1.55	Passenger	Passenger	Passenger	Passenger	Mixed
Ex. Sun.	Dally	Dally	Daily	Dally	Wat	2	∄≱	Telegraph Offices and Calls	D.	ಧ್ವ	Dally	Daily	Daily	Dally	Ex. Sun
							<del></del>							<del></del>	-
	L II.50₩		1		WYX	L 5	0.0	WEST DULUTH JCTP	3.6			A 6.03AR	:	·	
	11.53					<del></del>	0.6	ZENITH FURNACE	3.0			6.01	:		
7.14 <sub>AM</sub>	11.55pm	L 8.17ps	L 5.53 <sub>PM</sub>			۶ <del></del>	1.3	See Line Conn. DW&PBERWIND_JCT Interlocked 0.5			A 5.164M	5.58	А 7.46м	A 5.56P¥	A 7.30
<i>,</i>				. 2991 41	· .	- 12 13 18 (1 - 1 - 1	1.8	GRASSY POINT	1.8						
7.22A	12.05AM	A 8.27ฅเ	A 6.02m	A 1.50pk			3.3	Interlocked 1.5 L. S. T. & T. RY. JCT	0.3		L 5.08	5.49	L 7.3944	L 5.47pu	L 7.22
	As 12.06AM					WB 67	3.6	SUPERIOR U. DD	0.0			L 5.40AM		4	
Ex. Sun.	Dally	Daity	Dally	Dally				1 12 14 14 1		-	Dally	Daily	Dally	Dally	Ex. Sur
.08	.16	.10	.09	.06	24 5			Time Over Sub-Division			.08	.23	.07	.09	.08
15.0	18.5	12.0	13.3	20.0				Average Speed Per Hour			15.0	9.4	17.1	13.3	15.0

# EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION. DOUBLE TRACK BETWEEN BERWIND JCT. AND L. S. T. & T. RY. JCT., SUPERIOR.

SPECIAL INSTRUCTIONS, PAGE 7.

REGISTER STATIONS: Superior Union Depot for first class trains and passenger extras.

SPEED RESTRICTIONS: At Grassy Point Bridge twenty (20) miles per hour.

AT GRASSY POINT
DRAW BRIDGE:

At Grassy Point Bridge twenty (20) miles per hour.

A torpedo machine is located just inside of the Home Signal and is operated in connection with derail. The explosion of one torpedo indicates that derail is set in derailing position and train must be brought to a stop immediately to prevent derailment.

AT WEST DULUTH

JUNCTION:

RULES GOVERNING THE MOVEMENT OF TRAINS OVER GRASSY POINT DRAW BRIDGE. All trains will run with restricted speed around east leg of wye and passing Zenith Furnace plant, looking out for switch engines working on main track.

East leg of wye is terminal Third Sub-Division main track and the switches will be kept set and locked for main track.

WESTWARD

FOURTH SUB-DIVISION (DULUTH AND SUPERIOR TERMINAL)

EASTWARD

	FIRST CLASS	, .	1.50		Time Table No. 166			FIRST	CLASS
_	51	del, Scales, les, Wyes Limits.	Numbers.	from	May 1, 1932 Succeeding No. 165.	from	App.	52	-
-	Passenger	Water, Fu Turn Tabl	Station N	Distance from East End.	STATIONS	Distance from Central Ave.	Car Capacity of Sidings.	Passenger	
	Dally	≱E S	ťά	Pag.	Telegraph Offices and Calls	ದರ	రోశ	Daily	
	L 11.25aa	WOY X	63	0.0	Pass. Station EAST END C. St. P. M. & O. Crossing	4.0	Yard	As 3.10pm	٠
	11.29		65	1.8	Interlocked I.8 Track Conn. HILL AVE.	2.2	Yard	3.06	٠. ٠.
İ				2.9	SOO LINE CROSSING	1.1			
	A 8 I 1.35Ab	WYX	67	4.0	Interlocked 1.1 Track Conn. AJCENTRAL AVEDN	0.0	Yard	L 3.00pu	
	Dally		<del></del>	ļ <u>.</u>			<del></del>	Dalty	<del></del>
	,10				Time Over Sub-Division			.10	
	24.0				Average Speed Per Hour			24.0	

# EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION. DOUBLE TRACK BETWEEN EAST END PASSENGER STATION AND EAST LEG OF WYE AT CENTRAL AVE.

REGISTER STATION: Central Avenue.

AT CENTRAL AVENUE: Switches at west end of double track will be kept set and locked for eastward trains.

Switches at connection of Fourth and Second Terminal Sun-Divisions near depot will be kept set and locked for Second Sub-Division.

Care will be taken by train and enginemen when using east leg of wye, as it is single track and on sharp curve; trains will not exceed twenty (20) miles per hour, and in foggy or stormy weather they will protect by flag.

AT EAST END: Switches at east end of double track, east of passenger station, will be kept set and locked for westward trains from First Sub-Division main track.

The distant semaphore of interlocking signals governing movement of westward trains from First Sub-Division main track, is an automatic signal of upper quadrant type. When horizontal or red light, it indicates track or cross-overs between signal and passenger station in use. When diagonally upward or yellow light, caution. When vertical or green light, proceed.

#### SPECIAL INSTRUCTIONS.

(Note Changes.)

- 1. Second class and inferior trains may run ahead of delayed first class trains between West Duluth Junction and Duluth, Superior and Rice's Point, West Duluth Junction and Superior, Superior and East End, without orders.
  - 2. All inferior to first class trains may run ahead of each other without orders.
- 3. Clearance Form A will not be required at Rice's Point Yard, Superior Freight Station or Superior Union Depot.
- 4. Extra trains, work extras and switch engines do not require train orders for movement between West Duluth Junction and Duluth, between Central Avenue and Rice's Point, between Central Avenue and East End, nor between West Duluth Jct. and Superior.
- 5. A Brakeman or Flagman must be stationed on the rear car of all trains, at all times, and be provided with proper flagging equipment. In case train is stopped on main track, Flagman must go back immediately with stop signals a sufficient distance to insure full protection to his train. Conductors and switch foremen will be held responsible for the strict observance of this rule.
- 6. To insure personal safety, Telegraphers having train orders or messages to deliver to passing trains, will stand to the right hand side of the train and avoid standing between tracks when possible to do so.
  - 7. All trains must move within yard limits prepared to stop unless the main track is seen or known to be clear.
- 8. The D. T. main track is the northmost track between the Boston Coal Dock crossing and connection with Grassy Point main track. All switches leading from this track, when not in use, will be left lined for same.
- 9. All train crews, switch crews and light engines using D. T. main track from connection of Missabe coal dock with this track to east end of Zenith Furnace Company's lead, on Grassy Point line, will move in both directions under full control, expecting to find the D. T. main track occupied.
- 10. D. T. connection, located at east end of Zenith Furance Company's lead, Grassy Point line, will be considered a railroad crossing. Trains using this connection will make usual stop and make sure that track is clear before proceeding.
  - 11. Bridge Restrictions.

Speed will be restricted over St. Louis Bridge between Duluth and Superior to twenty (20) miles per

12. Great Northern Power Co. Track. Speed will be restricted on all bridges for Engines Class S3, S4 and S10 to eight (8) miles per hour. Engines Classes T, Q1 and heavier will not be permitted.

#### 13. Spring Switches:-

Maximum speed for all facing point and trailing point movements through switch fifteen (15) miles per hour. Trailing movements on the track for which the switch is normally lined may be made at normal speed.

Trains trailing through or stopping on a spring switch must not back up or take slack until points have been thrown by hand.

Flying switches over or through spring switches are prohibited.

When operated by hand, lever must be moved slowly, keeping a steady pressure on the handle until the switch is thrown and the handle is in the notch on the switch stand provided for it. When signal governing block in which spring switch is located is at stop, or where automatic block signals do not govern account trains running against current of traffic, facing point movements must not be made over switch until points have been examined.

Sand must not be used over points of spring switches.

- 14. When necessary to use a side track for main track, in addition to setting and locking switches for the siding and covering the same by train order, a flagman with proper flagging material will be stationed to fully protect approaching trains in the manner called for in Transportation Rules until movement over main track is resumed. When conductors find it necessary to leave switches set for siding they must fully protect approaching trains until relieved by trackmen or other employees fully competent and equipped to do so.
- 15. At West Duluth Jct.—Automatic Power Switch installed at end double track and Spring Switch at East end Wye to Grassy Point Line in connection with Spring Switch be governed by Rule (13), Special Instructions, Page (7) current Time Table. Automatic Power Switch at West Duluth Jct., end of double track, operated automatically by electric switch machine. When necessary to operate Switch by hand first throw lever marked "POWER LEVER," then throw lever marked "HAND-THROW LEVER." Both levers must be returned to normal position and locked after completing movement. Home Signal 146.1, Dwarf Signal 146.3, Home Signal 146.0, Dwarf Signal 146.2, Dwarf Signal 146.4, Signal 145.8 and Home Signal 146.6 are all Interlocking Signals and rules governing Interlocking apply. Trains finding Eastward Signal 146.0 and Westward 146.1 or Dwarf Signal 146.3 at "STOP" must examine end of double track switch, and if not in proper position use hand-throw lever and comply with Interlocking Signal Rules. Normal position of Spring Switch for Grassy Point Line Normal position of Power Switch for Westward trains.

#### Office Residence Telephone Telephone AUTHORIZED SURGEONS:-Dr. A. L. KYLLO, 5719 Tower Ave., Superior, Broad 1458R1 Broad 161 Broad 532 Dr. W. H. SCHNELL, 28 Columbia Bldg., Superior, Broad 65 Dr. F. C. SARAZIN, 28 Columbia Bldg., Superior, Dr. C. H. CHRISTIANSEN, Superior, Dr. G. C. MacRAE, 400 Lyceum Bldg., Duluth, Dr. C. M. SMITH, 400 Lyceum Bldg., Duluth, Broad 65 Broad 192 Hemlock 3954W Melrose 1089 Hemlock 1955 Melrose 1089 Dr. O. E. HEIMARK, 2004 W. Superior St., Duluth, Dr. C. L. HANEY, 2004 W. Superior St., Duluth, Melrose 458 Melrose 1157 Melrose 458 Melrose 579 Dr. F. N. KNAPP, Oculist and Aurist, Bradley Bldg., Duluth. Dr. M. F. FELLOWS, Oculist and Aurist, Bradley Bldg., Duluth. Dr. J. M. ROBINSON, Oculist and Aurist, Providence Bldg., Duluth.

#### LOCATION STRETCHERS:— East End Freight Station.

Central Avenue Freight Station.
Superior Freight Station.
Rices Point Yard Office, Duluth.
Dock 6, Duluth.
Duluth Union Depot.
Tool Car, Duluth.
West Duluth Passenger Station.

#### WATCH INSPECTORS:-

L. PEDERSON, Duluth, 2014 West Superior St.

E. E. ESTERLY, Duluth, 19 No. 1st Ave. West.

W. F. HURST, West Duluth, 301 N. Central Ave.

L. J. HOWATT, Superior, 1313 Tower Ave.

W	TY	AUM	~~	Tr A	D A	NO	TC
167.	24242		~L	وعهده		4.5	, روند

								LIM		OAD MEA		·					• • • •		
	i ft. Wide	2 ft. Wide	3 ft. Wide	4 ft. Wide	5 ft. Wide	6 ft. Wide	7 ft. Wide.	7 ft. 6 in. Wide	8 ft. Wide	8 ft. 6 in. Wide	9 ft. Wide	9 ft. 6 in. Wide	10 ft. Wide	10 ft. 2 in. Wide	10 ft. 6 in. Wide	11 ft. Wide	11 ft. 6 in. Wide	Max. Height	Max. Width
First Sub-division, Duluth to Fond du Lac	20′-3″	20′-3″	20′-3″	20'-3"	20'-3"	20'-3"	20′-3′′	20'-3"	20'-3"	20′-3″	20′-3″	20′-3″	20'-3"	20′-3″	20'-3"	20′-3″	20′-3″	20′-3″	11'-6"
Second Sub-division, Garfield Ave. to Central Ave	20′-3″	20'-3"	20'-3"	20'-3"	20′-3″	20'-3"	20′-3″	20'-3"	20'-3"	20'-3"	20′-3″	20'-3"	20'-3"	20′-3″	20'-3"	20′-3″	20'-3"	20′-3″	11'-6"
Third Sub-division, West Duluth Jet. to Superior U. D	20′-3″	20′-3″	20′-3″	20'-3"	20'-3"	20′-3″	20'-3"	20'-3"	20'-3"	20′-3″	20'-3"	20′-3″	20'-3"	20′-3″	20′-3″	20'-3"	20′-3″	20′-3″	11'-6"
Fourth Sub-division, East End to Central Ave	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-'0'	21'-0"	21'-0"	21'-0"	21'-0"	21′-0″	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0''	11'-8"

F. L. BIRDSALL,

Ass't Superintendent.

C. T. SPONSEL,

Ass't Superintendent.

H. J. COUNCILMAN,

Trainmaster.

GEORGE STEINER,

Chief Dispatcher.

